

Guideline no. 69

Guidelines for operation of continuous cookers for in-pack heat processing of foods

(Reel and spiral retorts/hydrostatic retorts and pasteurisation tunnels)

Revised and extended by Nick May

2012

© Campden BRI 2012
ISBN: 978 0 907503 71 2

Station Road, Chipping Campden, Gloucestershire, GL55 6LD, UK
Tel: +44(0)1386 842000 Fax: +44(0)1386 842100

www.campden.co.uk

Information emanating from this company is given after the exercise of all reasonable care and skill in its compilation, preparation and issue, but is provided without liability in its application and use.

Legislation changes frequently. It is essential to confirm that legislation cited in this publication and current at the time of printing, is still in force before acting upon it.

The information contained in this publication must not be reproduced without permission from the Publications Manager.

CONTENTS

	Page no.
1. INTRODUCTION TO THE PRINCIPLES OF HEAT PRESERVATION AND THE NEED FOR PROCESS CONTROL	1
2. GENERAL REQUIREMENTS	3
2.1 Plant layout	3
2.2 Steam supply to cookers	3
2.3 Steam supply to coolers	3
2.4 Cooling water	4
2.5 Cooker water	4
2.6 Instrumentation	4
2.6.1 General	4
2.6.2 Temperature measurement	5
2.6.3 Temperature recorder controllers	6
2.6.4 Pressure indicators	7
2.6.5 Process timing	7
2.6.6 Level control and indication	8
2.7 Training of cooker operators and supervisors	8
2.8 Process validation	8
2.8.1 Temperature measurement inside production machines	8
2.8.2 Spore reduction methods	9
2.8.3 Thermal process evaluation using simulators	10
2.9 Process deviations	12
2.9.1 Safe guarding personnel and equipment	13
2.9.2 Recording data	13
2.9.3 Temperature drops in preheat zones	14
2.9.4 Temperature drops in hold zones	15
2.9.5 Temperature drops in cooling zones	15
2.9.6 Stoppages	16
2.9.7 Segregation of containers	17
2.9.8 Informing relevant technical and management staff	17
2.9.9 Deciding disposal of stock	18
3. REEL AND SPIRAL COOKERS	19
3.1 Introduction	19
3.2 Introduction to operation of reel and spiral cooker/coolers	19
3.3 General description	20
3.3.1 Arrangement of shells	20
3.3.2 Internal construction of shells	21

3.3.3	Mode of agitation	24
3.3.4	Speed of can rotation	26
3.4	Plant description	27
3.4.1	Reel	27
3.4.2	Spiral	27
3.4.3	Trough	27
3.4.4	In-feed	28
3.4.5	Rotary valves	28
3.4.6	Atmospheric preheater shells	30
3.4.7	Pressure steam steriliser shells	30
3.4.8	Atmospheric cooker shells	31
3.4.9	Over pressure steriliser shells	31
3.4.10	Pressure cooler shells	32
3.4.11	Atmospheric cooler shells	33
3.4.12	Drive mechanisms	33
3.5	Operating conditions	34
3.5.1	Start up - preliminaries	34
3.5.2	Start up - services	34
3.5.3	Start up - recorder controllers	34
3.5.4	Start up - plant checks	35
3.5.5	Bringing up - process cooker shell	36
3.5.6	Cooler shell - make ready for use	37
3.5.7	Reel checks	38
3.5.8	Measurement of cook time	38
3.6	Instrumentation requirements specific to reel and spiral cookers	40
3.6.1	Temperature measurement	40
3.6.2	Temperature recorder controllers	40
3.6.3	Pressure indicators	41
3.6.4	Process timing	41
3.6.5	Level control and indication	41
3.7	Handling process deviations in reel and spiral cooker/coolers	41
3.8	Validation of can rotation	43
4.	HYDROSTATIC COOKERS	44
4.1	The basic principles of hydrostatic cookers	44
4.2	Description of system	44
4.2.1	Feed and discharge stations	44
4.2.2	Pre-heating leg	48
4.2.3	Water seal section	49
4.2.4	Steam chamber	49
4.2.5	Pre-cooling leg	50

4.2.6	Cooling section	50
4.2.7	Drying section	51
4.3	Operating conditions	51
4.3.1	Venting (saturated steam systems)	51
4.3.2	Water and condensate level control	52
4.3.3	Temperature	54
4.3.4	Time	54
4.4	Instrumentation specific to hydrostatic cookers	56
4.4.1	Temperature	56
4.4.2	Pressure	56
4.4.3	Sight glasses	56
4.4.4	Process timers / time in steam	56
4.5	Handling of process deviations in hydrostatic cookers	57
5.	PASTEURISING TUNNELS	59
5.1	Introduction to operation of pasteurisation tunnels	59
5.2	General description	60
5.2.1	Internal construction	60
5.2.2	Modes of heating	61
5.2.3	Modes of loading	62
5.2.4	Modes of agitation	62
5.3	Plant description	62
5.3.1	Belt construction and maintenance	62
5.3.2	Infeed/outfeed	62
5.3.3	Zone segregation	63
5.3.4	Drive mechanisms	63
5.3.5	Pre-heat/precool zones	64
5.4	Operating conditions	64
5.4.1	Start up - preliminaries	64
5.4.2	Bringing up the tunnel	64
5.4.3	Measurement of cook time	64
5.5	Instrumentation specific to pasteurisation tunnels	65
5.5.1	Temperature measurement	65
5.5.2	Temperature recorder controllers	66
5.5.3	Process timing	66
5.5.4	Water flow rates	66
5.5.5	Level control and indication	66
5.6	Handling process deviations in pasteurisation tunnels	67
5.7	System hygiene	67
6.	REFERENCES	68

LIST OF FIGURES

- Figure 1: Full diameter reel and spiral cooker simulators
- Figure 2: Hydrostat simulator
- Figure 3: A reel and spiral retort system (5 shell)
- Figure 4: Typical shell arrangements
- Figure 5a: Schematic of transfer valve operation principle
- Figure 5b: Molenaar's "soft" in feed
- Figure 6a: Schematic of transfer valve operation principle
- Figure 6b: Schematic of clearance of cans between rails
- Figure 7: Dual feed system
- Figure 8: Schematic showing the zone of fast axial rotation (FAR) in a reel and spiral shell
- Figure 9: Schematic of seals on a transfer valve
- Figure 10: Ellab can rotation counter mounted in a can
- Figure 11: Can rotation data (total count v time)
- Figure 12: Schematic diagram of hydrostatic cooker (single pass)
- Figure 13: Schematic diagram of hydrostatic cooker (multi pass with combined steam and water chamber)
- Figure 14: Schematic diagram of hydrostatic cooker with separated steam chamber
- Figure 15: Example heating profile from a hydrostatic cooker
- Figure 16: Schematics of the main heating principles of tunnel pasteurisers
- Figure 17: Engineering drawing of a sprayed water tunnel pasteuriser (Molenaar)
- Figure 18: A water immersion pasteurisation tunnel with planetary motion for processing cartons
- Figure 19: Typical belt arrangement and dead plate